




Kennlinien

CMVpro 125




n min ⁻¹	Schallleistungspegel LwA dB(A) ISO 5136.2	Schalldruckpegel LpA = LwA - 7 dB(A) Dist. 1 m							
		LwA dB(A)	63	125	250	500	1000	2000	4000
3600	68	29	38	49	57	61	62	64	49
3400	66	27	36	47	55	59	60	62	47
3200	65	26	35	46	54	58	59	61	46
3000	64	25	34	45	53	57	58	60	45
2850	62	23	32	43	51	55	56	58	43
2600	60	21	30	41	49	53	54	56	41
2400	59	20	29	40	48	52	53	55	40
2200	57	18	27	38	46	50	51	53	38
2000	55	16	25	36	44	48	49	51	36
1800	52	13	22	33	41	45	46	48	33
1600	50	11	20	31	39	43	44	46	31
1420	47	8	17	28	36	40	41	43	28
1200	44	5	14	25	33	37	38	40	25
1000	40	1	10	21	29	33	34	36	21
950	39	0	9	20	28	32	33	35	20
900	37	0	7	18	26	30	31	33	18



Kennlinien

CMVpro 160




n min ⁻¹	Schalleistungspegel LwA dB(A)		Schalldruckpegel LpA = LwA - 7 dB(A)							Dist. 1 m
	ISO 5136.2	LwA dB(A)	63	125	250	500	1000	2000	4000	
3600		73	39	38	53	59	70	68	65	54
3400		71	37	36	51	57	68	66	63	52
3200		70	36	35	50	56	67	65	62	51
3000		69	35	34	49	55	66	64	61	50
2850		67	33	32	47	53	64	62	59	48
2600		65	31	30	45	51	62	60	57	46
2400		64	30	29	44	50	61	59	56	45
2200		62	28	27	42	48	59	57	54	43
2000		60	26	25	40	46	57	55	52	41
1800		57	23	22	37	43	54	52	49	38
1600		55	21	20	35	41	52	50	47	36
1420		52	18	17	32	38	49	47	44	33
1200		49	15	14	29	35	46	44	41	30
1000		45	11	10	25	31	42	40	37	26
950		44	10	9	24	30	41	39	36	25
900		42	8	7	22	28	39	37	34	23



Kennlinien

CMVpro 200




n min ⁻¹	Schalleistungspegel LwA dB(A)		Schalldruckpegel LpA = LwA - 7 dB(A)							Dist. 1 m
	LwA dB(A)	ISO 5136.2	63	125	250	500	1000	2000	4000	
3500	78		35	50	61	70	75	73	66	56
3400	77		34	49	60	69	74	72	65	55
3200	76		33	48	59	68	73	71	64	54
3000	75		32	47	58	67	72	70	63	53
2850	73		30	45	56	65	70	68	61	51
2600	71		28	43	54	63	68	66	59	49
2400	70		27	42	53	62	67	65	58	48
2200	68		25	40	51	60	65	63	56	46
2000	66		23	38	49	58	63	61	54	44
1800	63		20	35	46	55	60	58	51	41
1600	61		18	33	44	53	58	56	49	39
1420	58		15	30	41	50	55	53	46	36
1200	55		12	27	38	47	52	50	43	33
1000	51		8	23	34	43	48	46	39	29
950	50		7	22	33	42	47	45	38	28
800	46		3	18	29	38	43	41	34	24
710	43		0	15	26	35	40	38	31	21



Kennlinien

CMVpro 250




n min ⁻¹	Schalleistungspegel L _w A dB(A)		Schalldruckpegel L _p A = L _w A - 7 dB(A)							Dist. 1 m
	L _w A dB(A)	ISO 5136.2	63	125	250	500	1000	2000	4000	
2900	86		49	61	68	76	83	80	70	58
2850	85		48	60	67	75	82	79	69	57
2600	83		46	58	65	73	80	77	67	55
2400	82		45	57	64	72	79	76	66	54
2200	80		43	55	62	70	77	74	64	52
2000	78		41	53	60	68	75	72	62	50
1800	75		38	50	57	65	72	69	59	47
1600	73		36	48	55	63	70	67	57	45
1420	70		33	45	52	60	67	64	54	42
1200	67		30	42	49	57	64	61	51	39
1000	63		26	38	45	53	60	57	47	35
950	62		25	37	44	52	59	56	46	34
800	58		21	33	40	48	55	52	42	30
710	55		18	30	37	45	52	49	39	27



Kennlinien

CMVpro 315




n min ⁻¹	Schallleistungspegel LwA dB(A)		Schalldruckpegel LpA = LwA - 7 dB(A)							Dist. 1 m
	ISO 5136.2	LwA dB(A)	63	125	250	500	1000	2000	4000	
2300		81	59	62	70	73	80	69	63	59
2200		80	58	61	69	72	79	68	62	58
2000		78	56	59	67	70	77	66	60	56
1800		75	53	56	64	67	74	63	57	53
1600		73	51	54	62	65	72	61	55	51
1420		70	48	51	59	62	69	58	52	48
1200		67	45	48	56	59	66	55	49	45
1000		63	41	44	52	55	62	51	45	41
950		62	40	43	51	54	61	50	44	40
800		58	36	39	47	50	57	46	40	36
710		55	33	36	44	47	54	43	37	33



Kennlinien

CMVpro 400



n min ⁻¹	Schalleistungspegel LwA dB(A)		Schalldruckpegel LpA = LwA - 7 dB(A)							Dist. 1 m
	ISO 5136.2	LwA dB(A)	63	125	250	500	1000	2000	4000	
1800		78	54	58	68	74	74	68	68	60
1600		76	52	56	66	72	72	66	66	58
1420		73	49	53	63	69	69	63	63	55
1200		70	46	50	60	66	66	60	60	52
1000		66	42	46	56	62	62	56	56	48
950		65	41	45	55	61	61	55	55	47
800		61	37	41	51	57	57	51	51	43
710		58	34	38	48	54	54	48	48	40
700		58	34	38	48	54	54	48	48	40
630		56	32	36	46	52	52	46	46	38