



|            | CMVeco | CMVpro |      |
|------------|--------|--------|------|
| <b>125</b> |        |        |      |
| A          | 188    | 179    | -9   |
| B          | 227    | 245    | 18   |
| C          | 164    | 170    | 6    |
| D          | 206    | 209    | 3    |
| E          | 170    | 154    | -16  |
| F          | 200    | 175    | -25  |
| G          | 270    | 270    | 0    |
| H          | 250    | 250    | 0    |
| I          | 240    | 240    | 0    |
| K          | 220    | 210    | -10  |
| L          | 250    | 240    | -10  |
| M          | 35     | 46     | 11   |
| N          | 110    | 110    | 0    |
| Ø P        | 10     | 8.4    | -1.6 |
| Ø R        | 125    | 125    | 0    |
| s          | 15     | 20     | 5    |

|            | CMVeco | CMVpro |      |
|------------|--------|--------|------|
| <b>160</b> |        |        |      |
|            | 226    | 225    | -1   |
|            | 286    | 310    | 24   |
|            | 206    | 218    | 12   |
|            | 252    | 264    | 12   |
|            | 200    | 194    | -6   |
|            | 225    | 216    | -9   |
|            | 290    | 290    | 0    |
|            | 310    | 330    | 20   |
|            | 260    | 260    | 0    |
|            | 220    | 230    | 10   |
|            | 250    | 260    | 10   |
|            | 47     | 59     | 12   |
|            | 120    | 130    | 10   |
|            | 10     | 8.4    | -1.6 |
|            | 160    | 160    | 0    |
|            | 15     | 25     | 10   |

|            | CMVeco | CMVpro |      |
|------------|--------|--------|------|
| <b>200</b> |        |        |      |
|            | 275    | 277    | 2    |
|            | 355    | 384    | 29   |
|            | 255    | 272    | 17   |
|            | 310    | 325    | 15   |
|            | 241    | 238    | -3   |
|            | 275    | 260    | -15  |
|            | 380    | 380    | 0    |
|            | 380    | 400    | 20   |
|            | 350    | 350    | 0    |
|            | 260    | 270    | 10   |
|            | 290    | 300    | 10   |
|            | 64     | 78     | 14   |
|            | 140    | 155    | 15   |
|            | 10     | 8.4    | -1.6 |
|            | 200    | 200    | 0    |
|            | 15     | 27     | 12   |

|            | CMVeco | CMVpro |     |
|------------|--------|--------|-----|
| <b>250</b> |        |        |     |
| A          | 336    | 343    | 7   |
| B          | 441    | 477    | 36  |
| C          | 316    | 340    | 24  |
| D          | 380    | 403    | 23  |
| E          | 293    | 294    | 1   |
| F          | 330    | 320    | -10 |
| G          | 430    | 430    | 0   |
| H          | 470    | 500    | 30  |
| I          | 390    | 390    | 0   |
| K          | 275    | 290    | 15  |
| L          | 315    | 330    | 15  |
| M          | 78     | 104    | 26  |
| N          | 160    | 190    | 30  |
| Ø P        | 10     | 10.5   | 0.5 |
| Ø R        | 250    | 250    | 0   |
| s          | 20     | 27     | 7   |

|            | CMVeco | CMVpro |     |
|------------|--------|--------|-----|
| <b>315</b> |        |        |     |
|            | 415    | 429    | 14  |
|            | 554    | 598    | 44  |
|            | 396    | 428    | 32  |
|            | 471    | 504    | 33  |
|            | 359    | 367    | 8   |
|            | 400    | 391    | -9  |
|            | 480    | 480    | 0   |
|            | 580    | 620    | 40  |
|            | 440    | 440    | 0   |
|            | 325    | 360    | 35  |
|            | 365    | 400    | 35  |
|            | 102    | 102    | 0   |
|            | 190    | 225    | 35  |
|            | 10     | 10.5   | 0.5 |
|            | 315    | 315    | 0   |
|            | 20     | 62     | 42  |

|            | CMVeco | CMVpro |     |
|------------|--------|--------|-----|
| <b>400</b> |        |        |     |
|            | 452    | 488    | 36  |
|            | 641    | 646    | 5   |
|            | 441    | 431    | -10 |
|            | 527    | 561    | 34  |
|            | 378    | 429    | 51  |
|            | 425    | 460    | 35  |
|            | 580    | 580    | 0   |
|            | 670    | 700    | 30  |
|            | 540    | 540    | 0   |
|            | 360    | 410    | 50  |
|            | 400    | 450    | 50  |
|            | 133    | 139    | 6   |
|            | 220    | 270    | 50  |
|            | 10     | 10.5   | 0.5 |
|            | 400    | 400    | 0   |
|            | 20     | 70     | 50  |

Stand 25.08.2020 • Änderungen vorbehalten • Copyright by COLASIT AG Spiez